

SUBARU BRZ



SUBARU

Confidence in Motion



SPECIFICATIONS

Item	Rear-Wheel Drive					
	SUBARU BRZ		SUBARU BRZ Premium			
	6MT	6AT	6MT	6AT		
ENGINE						
Type	Horizontally-opposed, 4-cylinder, 4-stroke, petrol engine					
	DOHC 16-valve					
Bore/Stroke	mm	86/86				
Capacity	cc	1,998				
Compression ratio		12.5				
Fuel system		Direct and port fuel injection				
Fuel tank capacity	lit.	50				
PERFORMANCE						
Max. output (DIN)	kW (PS) /rpm	147 (200) /7,000				
Max. torque (DIN)	Nm (kgfm) /rpm	205 (20.9) /6,400-6,600				
Max. speed	km/h	230 (in 6th gear)	210 (in 5th gear)	226 (in 6th gear)	210 (in 5th gear)	
Acceleration (0-100 km/h)	sec.	7.6	8.2	7.6	8.2	
Fuel consumption*1	Urban	lit./100 km	9.0	9.4	10.4	9.6
	Extra-urban	lit./100 km	5.7	5.5	6.3	5.7
	Combined	lit./100 km	6.9	6.9	7.8	7.1
CO ₂ emissions*1	Urban	g/km	209	218	240	223
	Extra-urban	g/km	131	126	146	131
	Combined	g/km	159	159	180	164
DIMENSIONS & WEIGHT						
Overall length	mm	4,240				
Overall width	mm	1,775				
Overall height	mm	1,320*2				
Wheelbase	mm	2,570				
Track	Front	mm	1,520			
	Rear	mm	1,540			
Minimum road clearance (at kerb weight)	mm	130		120	130	
Trunk volume*3	lit.	243				
Seating capacity	persons	4				
Kerb weight	kg	1,203	1,225	1,240	1,263	
TRANS-AXLE						
Gear ratio	1st	3.626	3.538	3.626	3.538	
	2nd	2.188	2.060	2.188	2.060	
	3rd	1.541	1.404	1.541	1.404	
	4th	1.213	1.000	1.213	1.000	
	5th	1.000	0.713	1.000	0.713	
	6th	0.767	0.582	0.767	0.582	
	Reverse	3.437	3.168	3.437	3.168	
Final drive axle ratio		3.727	4.100	4.100	4.100	
CHASSIS						
Steering		Rack and pinion, electric power steering system				
Suspension (4-wheel independent)	Front	MacPherson strut type				
	Rear	Double wishbone type				
Minimum turning circle at tyre (radius)	m	5.4				
Brakes	Front	15" Ventilated disc brakes		16" Ventilated disc brakes		
	Rear	15" Solid disc brakes		15" Ventilated disc brakes		
Tyre/wheel size		205/55R16, 16 x 6.5"J		215/45R17, 17 x 7"J		

*1 Fuel consumption and CO₂ emissions: according to EC715/2007-EC195/2013J.

*2 Value is a measurement including the height of radio antenna. The height to the roof is 1,285 mm.

*3 Measured by VDA.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

STANDARD AND OPTIONAL FEATURES

Item	SUBARU BRZ		SUBARU BRZ Premium	
	6MT	6AT	6MT	6AT
Exterior				
Auto on/off headlamps	-	-	●	●
HID headlamps with auto leveliser	●	●	●	●
Pop-up type headlamp washers	●	●	●	●
Front fog lamps	-	-	●	●
Rear fog lamp	●	●	●	●
Power-folding door mirrors	-	-	●	●
UV protection glass: Front and rear side windows, rear quarter and rear window	●	●	●	●
Variable intermittent windshield wipers (Designed blade)	●	●	●	●
16-inch aluminium alloy wheels	●	●	-	-
17-inch aluminium alloy wheels	-	-	●	●
Engine, transmission and floor under cover	●	●	●	●
Fender garnish	●	●	●	●
Rear spoiler	●	●	●	●
Rear diffuser	●	●	●	●
Shark-fin antenna	●	●	●	●
Twin tail muffler cutter	-	-	●	●
Seating / Trims				
Leather wrapped steering wheel with red stitching	-	-	●	●
Leather wrapped gearshift knob and hand brake lever	-	-	●	●
Sporty front seats (Fabric)	●	●	●	●
Sporty front seats (Leather and Alcantara®*1)	-	-	Option	Option
6-way manual adjustable driver's seat	●	●	●	●
Front seat heaters	-	-	Option	Option
Side sill cover (Stainless)	-	-	●	●
Rear passenger's seat	●	●	●	●
Easy entry function	-	-	●	●
Walk-in function (Front passenger seat)	●	●	●	●
Seat back pocket (Front passenger seat)	-	-	●	●
Comfort / Convenience				
Power windows*2	●	●	●	●
Keyless Access and Push Button Start System (touch-sensor type)	-	-	●	●
Map lamps	●	●	●	●
Trunk room lamp	-	-	●	●
Vanity mirrors with lids (for driver and front passenger)	-	-	●	●
Centre tray	●	●	●	●
2 front cup holders (in the centre console)	-	-	●	●
Door pockets with bottle holders (on all side doors)	●	●	●	●
Trunk opener	●	●	●	●
Interior fuel lid lock release	●	●	●	●
Two 12-volt power outlets (in the centre console and glove box)	-	-	●	●
Box sub-trunk (under cargo storage)	●	●	●	●
Tyre repair kit	●	●	●	●

Item	SUBARU BRZ		SUBARU BRZ Premium	
	6MT	6AT	6MT	6AT
Climate control				
Manual air-conditioning system with anti-dust filter	Option	Option	-	-
Dual-zone automatic air-conditioning system with anti-dust filter	-	-	●	●
Heated door mirrors	-	-	●	●
Front and side defrosters	●	●	●	●
Electric rear window defogger with timer	●	●	●	●
Entertainment				
1.4-DIN audio system: 1-CD with 6-speakers	-	-	●	●
USB and auxiliary audio input jack (in the centre panel)	-	-	●	●
Control / Instruments				
Digital speed meter	●	●	●	●
Tilt-adjustable/telescopic steering wheel	●	●	●	●
Paddle shift	-	-	-	●
Quick ratio power steering	●	●	●	●
Multi-Information display*3	●	●	●	●
Driver-set rev indicator	●	●	●	●
Cruise control	-	-	●	●
Aluminium pedals	-	-	●	●
Drivability				
Vehicle Stability Control	●	●	●	●
SPORT and SNOW mode function	-	●	-	●
Torsen LSD (Limited Slip Differential)*4	-	-	●	●
Safety				
Front SRS*5 airbags	●	●	●	●
Front side SRS*5 airbags (for driver and front passenger)	●	●	●	●
Curtain SRS*5 airbags	●	●	●	●
Knee SRS*5 airbag	●	●	●	●
Side-door reinforcement beams	●	●	●	●
Steering column support beam	●	●	●	●
Whiplash reducing front seats	●	●	●	●
Seatbelt indicator (for driver and front passenger)	●	●	●	●
Front seatbelts with pretensioners and load limiters	●	●	●	●
Rear 3-point seatbelts for 2 seating positions	●	●	●	●
Safety pedal system	●	●	●	●
4-sensor/4-channel ABS	●	●	●	●
Brake assist system	●	●	●	●
ISO-FIX adapted child seat anchors (with tether anchors)	●	●	●	●
Anti-theft security system with engine immobiliser	●	●	●	●

*1 Alcantara is a registered trademark of Alcantara S.p.A.

*2 Driver's and passenger's side front window has auto up/down function with pinch protection.

*3 It shows: current fuel consumption, average fuel consumption, ambient temperature, odometer and trip metre.

*4 Torsen LSD: Torsen is registered trademarks of JTEKT Inc.

*5 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Standard and optional features, model lineup may vary according to market.



SUBARU

Confidence in Motion

FUJI HEAVY INDUSTRIES LTD.
subaru-global.com

Printed in Belgium (15BZXXX-01SS)

PREISE / PRIX / PREZZI



SUBARU

gültig ab / valables dès le / validi dal 19.02.2015

IMPREZA AWD	Getriebe Transmission Trasmissione	Zylinder Motor Cylindres moteur Cilindri motore	Leistung kW/PS Puissance kW/ch Potenza kW/CV	Drehm. Nm Couple Nm Coppia Nm	¹⁾ Verb. mix/CO₂ ¹⁾ Cons. mixte/CO₂ ¹⁾ Cons. misto/CO₂	²⁾ Benzinäquivalent ²⁾ Équivalent essence ²⁾ Equivalente di benzina	Energie-Kat. Cat. énergé. Cat. energie.	Preis CHF Prix CHF Prezzo CHF
1.6i Swiss one	Man	4 Benz./ess./benz.	84 / 114	150	6,2 / 144	–	E	22'900.–
1.6i Swiss one	Lineartronic	4 Benz./ess./benz.	84 / 114	150	5,9 / 136	–	D	24'900.–
1.6i Swiss two	Man.	4 Benz./ess./benz.	84 / 114	150	6,4 / 147	–	E	24'500.–
1.6i Swiss two	Lineartronic	4 Benz./ess./benz.	84 / 114	150	6,1 / 140	–	D	26'500.–
2.0i Swiss Sport	Man.	4 Benz./ess./benz.	110 / 150	196	6,9 / 160	–	F	28'950.–
2.0i Swiss Sport	Lineartronic	4 Benz./ess./benz.	110 / 150	196	6,5 / 151	–	E	30'950.–

Lackierungen/peintures/vernici, ausser/sauf/eccetto Venetian Red Pearl

750.–

XV AWD	Getriebe Transmission Trasmissione	Zylinder Motor Cylindres moteur Cilindri motore	Leistung kW/PS Puissance kW/ch Potenza kW/CV	Drehm. Nm Couple Nm Coppia Nm	¹⁾ Verb. mix/CO₂ ¹⁾ Cons. mixte/CO₂ ¹⁾ Cons. misto/CO₂	²⁾ Benzinäquivalent ²⁾ Équivalent essence ²⁾ Equivalente di benzina	Energie-Kat. Cat. énergé. Cat. energie.	Preis CHF Prix CHF Prezzo CHF
1.6i Swiss one	Man.	4 Benz./ess./benz.	84 / 114	150	6,5 / 151	–	E	24'600.–
1.6i Swiss one	Lineartronic	4 Benz./ess./benz.	84 / 114	150	6,3 / 146	–	E	26'600.–
1.6i Swiss two	Man.	4 Benz./ess./benz.	84 / 114	150	6,5 / 151	–	E	27'100.–
1.6i Swiss two	Lineartronic	4 Benz./ess./benz.	84 / 114	150	6,3 / 146	–	E	29'100.–
2.0i Swiss one	Man.	4 Benz./ess./benz.	110 / 150	196	6,9 / 160	–	F	28'400.–
2.0i Swiss one	Lineartronic	4 Benz./ess./benz.	110 / 150	196	6,6 / 151	–	E	30'400.–
2.0i Swiss two	Man.	4 Benz./ess./benz.	110 / 150	196	6,9 / 160	–	F	29'950.–
2.0i Swiss two	Lineartronic	4 Benz./ess./benz.	110 / 150	196	6,6 / 151	–	E	31'950.–
2.0i Swiss three	Man.	4 Benz./ess./benz.	110 / 150	196	6,9 / 160	–	F	35'650.–
2.0i Swiss three	Lineartronic	4 Benz./ess./benz.	110 / 150	196	6,6 / 151	–	E	37'650.–
2.0D Swiss one	Man.	4 Diesel	108 / 147	350	5,4 / 141	6,0	D	30'300.–
2.0D Swiss two	Man.	4 Diesel	108 / 147	350	5,4 / 141	6,0	D	31'950.–
2.0D Swiss three	Man.	4 Diesel	108 / 147	350	5,4 / 141	6,0	D	37'550.–

Lackierungen/peintures/vernici, ausser/sauf/eccetto Desert Khaki

800.–

WRX STI AWD	Getriebe Transmission Trasmissione	Zylinder Motor Cylindres moteur Cilindri motore	Leistung kW/PS Puissance kW/ch Potenza kW/CV	Drehm. Nm Couple Nm Coppia Nm	¹⁾ Verb. mix/CO₂ ¹⁾ Cons. mixte/CO₂ ¹⁾ Cons. misto/CO₂	²⁾ Benzinäquivalent ²⁾ Équivalent essence ²⁾ Equivalente di benzina	Energie-Kat. Cat. énergé. Cat. energie.	Preis CHF Prix CHF Prezzo CHF
2.5T WRX STI Sport	Man.	4 Benz./ess./benz.	221 / 300	407	10,4 / 242	–	G	44'900.–
2.5T WRX STI Sport S	Man.	4 Benz./ess./benz.	221 / 300	407	10,4 / 242	–	G	45'400.–
2.5T WRX STI Luxury	Man.	4 Benz./ess./benz.	221 / 300	407	10,4 / 242	–	G	53'300.–
2.5T WRX STI Luxury S	Man.	4 Benz./ess./benz.	221 / 300	407	10,4 / 242	–	G	53'800.–

Lackierungen/peintures/vernici, ausser/sauf/eccetto Lightning Red

800.–

FORESTER AWD	Getriebe Transmission Trasmissione	Zylinder Motor Cylindres moteur Cilindri motore	Leistung kW/PS Puissance kW/ch Potenza kW/CV	Drehm. Nm Couple Nm Coppia Nm	¹⁾ Verb. mix/CO₂ ¹⁾ Cons. mixte/CO₂ ¹⁾ Cons. misto/CO₂	²⁾ Benzinäquivalent ²⁾ Équivalent essence ²⁾ Equivalente di benzina	Energie-Kat. Cat. énergé. Cat. energie.	Preis CHF Prix CHF Prezzo CHF
2.0i Advantage	Man.	4 Benz./ess./benz.	110 / 150	198	6,9 / 160	–	F	29'900.–
2.0i Advantage	Lineartronic	4 Benz./ess./benz.	110 / 150	198	6,5 / 150	–	E	31'900.–
2.0i Swiss	Man.	4 Benz./ess./benz.	110 / 150	198	6,9 / 160	–	F	33'300.–
2.0i Swiss	Lineartronic	4 Benz./ess./benz.	110 / 150	198	6,5 / 150	–	E	35'300.–
2.0XT Sport	Lineartronic	4 Benz./ess./benz.	177 / 240	350	8,5 / 197	–	G	43'900.–
2.0XT Luxury	Lineartronic	4 Benz./ess./benz.	177 / 240	350	8,5 / 197	–	G	49'900.–
2.0D Advantage	Man.	4 Diesel	108 / 147	350	5,7 / 148	6,4	D	31'900.–
2.0D Advantage	Lineartronic	4 Diesel	108 / 147	350	6,1 / 158	6,8	E	33'900.–
2.0D Swiss	Man.	4 Diesel	108 / 147	350	5,7 / 148	6,4	D	34'950.–
2.0D Swiss	Lineartronic	4 Diesel	108 / 147	350	6,1 / 158	6,8	E	36'950.–
2.0D Luxury	Lineartronic	4 Diesel	108 / 147	350	6,3 / 163	7,1	E	44'950.–

Lackierungen/peintures/vernici, ausser/sauf/eccetto Venetian Red Pearl

850.–

OUTBACK AWD	Getriebe Transmission Trasmissione	Zylinder Motor Cylindres moteur Cilindri motore	Leistung kW/PS Puissance kW/ch Potenza kW/CV	Drehm. Nm Couple Nm Coppia Nm	¹⁾ Verb. mix/CO₂ ¹⁾ Cons. mixte/CO₂ ¹⁾ Cons. misto/CO₂	²⁾ Benzinäquivalent ²⁾ Équivalent essence ²⁾ Equivalente di benzina	Energie-Kat. Cat. énergé. Cat. energie.	Preis CHF Prix CHF Prezzo CHF
2.5i Swiss	Lineartronic	4 Benz./ess./benz.	129 / 175	235	7,0 / 161	–	F	40'950.–
2.5i Luxury	Lineartronic	4 Benz./ess./benz.	129 / 175	235	7,0 / 161	–	F	46'950.–
2.0D Advantage	Man.	4 Diesel	110 / 150	350	5,6 / 145	6,3	C	34'500.–
2.0D Swiss	Man.	4 Diesel	110 / 150	350	5,6 / 145	6,3	C	38'500.–
2.0D Swiss	Lineartronic	4 Diesel	110 / 150	350	6,1 / 159	6,8	D	41'950.–
2.0D Luxury	Lineartronic	4 Diesel	110 / 150	350	6,1 / 159	6,8	D	47'950.–
Lackierungen/peintures/vernici, ausser/sauf/eccetto Venetian Red Pearl								900.–
SUBARU BRZ	Getriebe Transmission Trasmissione	Zylinder Motor Cylindres moteur Cilindri motore	Leistung kW/PS Puissance kW/ch Potenza kW/CV	Drehm. Nm Couple Nm Coppia Nm	¹⁾ Verb. mix/CO₂ ¹⁾ Cons. mixte/CO₂ ¹⁾ Cons. misto/CO₂	²⁾ Benzinäquivalent ²⁾ Équivalent essence ²⁾ Equivalente di benzina	Energie-Kat. Cat. énergé. Cat. energie.	Preis CHF Prix CHF Prezzo CHF
2.0R	Man.	4 Benz./ess./benz.	147 / 200	205	7,8 / 180	–	G	35'800.–
2.0R	Aut.	4 Benz./ess./benz.	147 / 200	205	7,1 / 164	–	F	37'800.–
Lackierungen/peintures/vernici, ausser/sauf/eccetto Lightning Red								700.–

Alle angegebenen Preise verstehen sich als Nettopreise und sind unverbindliche Preisempfehlungen inkl. 8 % MWSt.

Tous les prix indiqués s'entendent comme prix net et sont des recommandations de prix sans engagement, TVA 8 % incluse.

Tutti i prezzi menzionati sono prezzi netti, consigliati, non vincolanti e comprensivi di IVA all'8 %.

¹⁾ l/100 km / Durchschnitt aller in der Schweiz verkauften Fahrzeugmodelle (markenübergreifend): CO₂ 144 g/km

¹⁾ l/100 km / Moyenne de toutes les voitures neuves vendues en Suisse (toutes les marques): CO₂ 144 g/km

¹⁾ l/100 km / Media di tutte le autovetture vendute in Svizzera (tutte le marche): CO₂ 144 g/km

²⁾ Damit Energieverbräuche unterschiedlicher Antriebsformen (Benzin, Diesel, Gas, Strom usw.) vergleichbar sind, werden sie zusätzlich als sogenannte Benzinäquivalente (Masseinheit für Energie) ausgewiesen.

²⁾ Pour que les consommations de différentes formes de motorisation (essence, diesel, gaz, électricité) soient comparables, elles sont également présentées sous forme d'équivalence essence (unité de mesure d'énergie).

²⁾ Affinché i consumi energetici delle diverse forme di motore (benzina, diesel, gas, elettricità) siano comparabili, sono indicati anche con il cosiddetto equivalente di benzina (unità di misura per l'energia).

Die Verbrauchsangaben in unseren Verkaufsunterlagen sind europäische Treibstoff-Normverbrauchs-Angaben, die zum Vergleich der Fahrzeuge dienen. In der Praxis können diese je nach Fahrstil, Zuladung, Topografie und Jahreszeit teilweise deutlich abweichen. Wir empfehlen ausserdem den Eco-Drive-Fahrstil zur Schonung der Ressourcen.

Les données de consommation indiquées dans nos documents de vente sont basées sur le cycle européen de consommation normalisée qui a pour objectif de permettre une comparaison entre les véhicules. En usage quotidien la consommation peut varier sensiblement en fonction du style de conduite, de la charge, de la topographie et des conditions climatiques. Nous recommandons par ailleurs le mode de conduite eco-drive respectueux de l'environnement.

I dati relativi ai consumi riportati nelle nostre documentazioni di vendita sono dati di consumo normalizzati europei, che fungono da termine di paragone per le vetture. In pratica, tali dati possono variare anche di molto in funzione dello stile di guida, del carico, della topografia e della stagione. Vi consigliamo inoltre di adottare la modalità di guida eco-drive nel rispetto delle risorse.

Änderungen vorbehalten. Preise und technische Details (Werksangaben) können jederzeit und ohne Ankündigung geändert werden. Druckfehler und Irrtum vorbehalten.

Toutes modifications demeurent réservées. Les prix et les caractéristiques techniques (données d'usine) peuvent en tout temps faire l'objet de modifications sans préavis.

Sous réserve d'erreurs d'impression ou autres.

Con riserva di eventuali modifiche. I prezzi e i dati tecnici (di fabbrica) possono essere modificati in qualsiasi momento e senza preavviso. Con riserva di sbagli ed errori di stampa.