

TECHNICAL DATA

	F-TYPE 340PS Coupé	F-TYPE 340PS Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	2,995	
Cylinders	V6 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	84.5/ 89.0	
Compression ratio	10.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	340 (250) @ 6,500rpm	
Torque Nm (lb ft)	450 (332) @ 3,500-5,000rpm	
Transmission	8-speed Quickshift, [6-speed manual]	
Gear ratios (:1)		
1st	4.714 [4.110]	
2nd	3.143 [2.315]	
3rd	2.106 [1.542]	
4th	1.667 [1.178]	
5th	1.285 [1.000]	
6th	1.000 [0.846]	
7th	0.839 [-]	
8th	0.667 [-]	
Reverse	3.317 [3.727]	
Final Drive ratio	3.15 [3.31]	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Single-piston sliding caliper; 355mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 325mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,482	4,482
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,597/ 1,649	1,597/ 1,649
Weight (kg)	From 1,577 [1,567]	From 1,597 [1,587]
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	5.1 [5.5]	5.1 [5.5]
0-100km/h (sec)	5.3 [5.7]	5.3 [5.7]
Top speed mph (km/h)	161 (260)	161 (260)
Fuel consumption mpg (litres/100km) EU combined	33.6 (8.4) [28.8 (9.8)]	33.6 (8.4) [28.8 (9.8)]
CO ₂ emissions (g/km) EU combined	199 [234]	199 [234]

Manufacturer's figures; correct at time of going to press
Figures in square brackets refer to manual transmission

TECHNICAL DATA

	F-TYPE 380PS Coupé	F-TYPE 380PS Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	2,995	
Cylinders	V6 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	84.5/ 89.0	
Compression ratio	10.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	380 (280) @ 6,500rpm	
Torque Nm (lb ft)	460 (339) @ 3,500-5,500rpm	
Transmission	8-speed Quickshift, [6-speed manual]	
Gear ratios (:1)		
1st	4.714 [4.110]	
2nd	3.143 [2.315]	
3rd	2.106 [1.542]	
4th	1.667 [1.178]	
5th	1.285 [1.000]	
6th	1.000 [0.846]	
7th	0.839 [-]	
8th	0.667 [-]	
Reverse	3.317 [3.727]	
Final Drive ratio	3.31 [3.31]	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Twin-piston sliding caliper; 380mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 325mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,482	4,482
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,597/ 1,649	1,597/ 1,649
Weight (kg)	From 1,594 [1,584]	From 1,614 [1,604]
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	4.8 [5.3]	4.8 [5.3]
0-100km/h (sec)	4.9 [5.5]	4.9 [5.5]
Top speed mph (km/h)	171 (275)	171 (275)
Fuel consumption mpg (litres/100km) EU combined	32.9 (8.6) [28.8 (9.8)]	32.9 (8.6) [28.8 (9.8)]
CO ₂ emissions (g/km) EU combined	203 [234]	203 [234]

Manufacturer's figures; correct at time of going to press
Figures in square brackets refer to manual transmission

TECHNICAL DATA

	F-TYPE 380PS AWD Coupé	F-TYPE 380PS AWD Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	2,995	
Cylinders	V6 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	84.5/ 89.0	
Compression ratio	10.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	380 (280) @ 6,500rpm	
Torque Nm (lb ft)	460 (339) @ 3,500-5,500rpm	
Transmission	8-speed Quickshift	
Gear ratios (:1)		
1st	4.714	
2nd	3.143	
3rd	2.106	
4th	1.667	
5th	1.285	
6th	1.000	
7th	0.839	
8th	0.667	
Reverse	3.317	
Final Drive ratio	3.31	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Twin-piston sliding caliper; 380mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 325mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,482	4,482
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,597/ 1,649	1,597/ 1,649
Weight (kg)	From 1,674	From 1,694
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	4.9	4.9
0-100km/h (sec)	5.1	5.1
Top speed mph (km/h)	171 (275)	171 (275)
Fuel consumption mpg (litres/100km) EU combined	31.7 (8.9)	31.7 (8.9)
CO ₂ emissions (g/km) EU combined	211	211

Manufacturer's figures; correct at time of going to press

TECHNICAL DATA

	F-TYPE 400PS Coupé	F-TYPE 400PS Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	2,995	
Cylinders	V6 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	84.5/ 89.0	
Compression ratio	10.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	400 (294) @ 6,500rpm	
Torque Nm (lb ft)	460 (339) @ 3,500-5,500rpm	
Transmission	8-speed Quickshift	
Gear ratios (:1)		
1st	4.714	
2nd	3.143	
3rd	2.106	
4th	1.667	
5th	1.285	
6th	1.000	
7th	0.839	
8th	0.667	
Reverse	3.317	
Final Drive ratio	3.31	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Twin-piston sliding caliper; 380mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 376mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,482	4,482
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,585/ 1,627	1,585/ 1,627
Weight (kg)	From 1,594	From 1,614
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	4.8	4.8
0-100km/h (sec)	4.9	4.9
Top speed mph (km/h)	171 (275)	171 (275)
Fuel consumption mpg (litres/100km) EU combined	32.9 (8.6)	32.9 (8.6)
CO ₂ emissions (g/km) EU combined	203	203

Manufacturer's figures; correct at time of going to press

TECHNICAL DATA

	F-TYPE 400PS AWD Coupé	F-TYPE 400PS AWD Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	2,995	
Cylinders	V6 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	84.5/ 89.0	
Compression ratio	10.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	400 (294) @ 6,500rpm	
Torque Nm (lb ft)	460 (339) @ 3,500-5,500rpm	
Transmission	8-speed Quickshift	
Gear ratios (:1)		
1st	4.714	
2nd	3.143	
3rd	2.106	
4th	1.667	
5th	1.285	
6th	1.000	
7th	0.839	
8th	0.667	
Reverse	3.317	
Final Drive ratio	3.31	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Twin-piston sliding caliper; 380mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 376mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,482	4,482
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,585/ 1,627	1,585/ 1,627
Weight (kg)	From 1,674	From 1,694
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	4.9	4.9
0-100km/h (sec)	5.1	5.1
Top speed mph (km/h)	171 (275)	171 (275)
Fuel consumption mpg (litres/100km) EU combined	31.7 (8.9)	31.7 (8.9)
CO ₂ emissions (g/km) EU combined	211	211

Manufacturer's figures; correct at time of going to press

TECHNICAL DATA

	F-TYPE 550PS AWD Coupé	F-TYPE 550PS AWD Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	5,000	
Cylinders	V8 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	92.5/ 93.0	
Compression ratio	9.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	550 (405) @ 6,500rpm	
Torque Nm (lb ft)	680 (502) @ 3,500rpm	
Transmission	8-speed Quickshift	
Gear ratios (:1)		
1st	4.714	
2nd	3.143	
3rd	2.106	
4th	1.667	
5th	1.285	
6th	1.000	
7th	0.839	
8th	0.667	
Reverse	3.317	
Final Drive ratio	2.56	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Twin-piston sliding caliper; 380mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 376mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,482	4,482
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,585/ 1,627	1,585/ 1,627
Weight (kg)	From 1,730	From 1,745
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	3.9	3.9
0-100km/h (sec)	4.1	4.1
Top speed mph (km/h)	186 (300)	186 (300)
Fuel consumption mpg (litres/100km) EU combined	25.0 (11.3)	25.0 (11.3)
CO ₂ emissions (g/km) EU combined	269	269

Manufacturer's figures; correct at time of going to press

TECHNICAL DATA

	F-TYPE 575PS AWD Coupé	F-TYPE 575PS AWD Convertible
ENGINE & TRANSMISSION		
Engine capacity (cc)	5,000	
Cylinders	V8 Supercharged	
Valves per cylinder	4; DOHC	
Bore/ stroke (mm)	92.5/ 93.0	
Compression ratio	9.5:1	
Fuel injection	150bar direct injection	
Power PS (kW)	575 (423) @ 6,500rpm	
Torque Nm (lb ft)	700 (516) @ 3,500-5,000rpm	
Transmission	8-speed Quickshift	
Gear ratios (:1)		
1st	4.714	
2nd	3.143	
3rd	2.106	
4th	1.667	
5th	1.285	
6th	1.000	
7th	0.839	
8th	0.667	
Reverse	3.317	
Final Drive ratio	2.56	
CHASSIS		
Front suspension	Double wishbone	
Rear suspension	Double wishbone	
Front brakes	Twin-piston sliding caliper; 380mm ventilated discs	
Rear brakes	Single-piston sliding caliper; 376mm ventilated discs	
Steering	Rack-and-pinion; electromechanical	
DIMENSIONS		
Length (mm)	4,475	4,475
Width inc./ excl. mirrors (mm)	2,042/ 1,923	2,042/ 1,923
Height (mm)	1,311	1,308
Wheelbase (mm)	2,622	2,622
Track front/ rear (mm)	1,585/ 1,611	1,585/ 1,611
Weight (kg)	From 1,705	From 1,720
Boot volume (litres)	310/ 408 with/ without parcel tray	207
Fuel tank (useable) litres	70	70
PERFORMANCE & FUEL ECONOMY		
0-60mph (sec)	3.5	3.5
0-100km/h (sec)	3.7	3.7
Top speed mph (km/h)	200 (322)	195 (314)
Fuel consumption mpg (litres/100km) EU combined	25.0 (11.3)	25.0 (11.3)
CO ₂ emissions (g/km) EU combined	269	269

Manufacturer's figures; correct at time of going to press